

Kobe T-Base Assembly and Installation

(MKTRCT4824, MKTRCT6024, MKTRCT7224, MKTRCC4824, MKTRCC6024, MKTRCC7224)

Organize your parts. You will need a phillips head screw driver, pencil and measuring tape, drill(optional).


Two people are required for assembly.

Parts & Hardware: (Depending on the product, PART C will be 4 Glides OR 4 Casters)

A: Table Top • **B:** T-base Leg(2) • **C:** Glides/Casters(4) • **D:** Screw(16)




Step 1: Screw 2 Glides/Casters (C) into each T-base Leg (B).



Step 3: Prepare your Template (INCLUDED) by taping both template pages to one another on the dashed line.


EXAMPLE



Step 2: On a clean flat surface, place desired finish of Table Top(A) **face down**.


STEP 4a: Follow the Assembled Template for Leg Placement. The template for attaching the legs should be aligned as shown below.

NOTE: Edges of template align with edges of table.



STEP 4b: When T-base Leg is aligned with the template, Mark the four holes on Table top(A).

Step 5: Attach the T-base Leg(B) to the Table Top(A) using 8 Screws(D) per Leg.



IMPORTANT NOTICE

Place all wooden parts on a clean and smooth surface such as a rug or carpet to avoid the parts from being scratched.


Check to be sure that you have a ll parts and hardware.

Remove all wrapping materials, including staples & packing straps before you start to assemble.

Do not tighten all screws/bolts until completely assembled.

Keep all hardware parts out of reach of children.

Any problems or questions please call Regency Office Furniture at 1-866-816-9822



4''

LINE UP TOP EDGE OF SECOND SHEET HERE.



**ALIGN THIS CORNER
WITH TABLE TOP
CORNER**



9.5"